


TECHNICAL DATA SHEET

11/25/2009

NONIVAMIDE (non-Kosher)					
Nonanoic acid vanillylamide; Nonanoyl vanillylamide					
Formula: C17H27NO3	FW: 293.4	Kosher: <input type="checkbox"/>		FCC: <input type="checkbox"/>	
Appearance and Color: } Solid / White to Lt. Brown				Part Code: 13137	
Density (g/ml) d_4^{20} = NA	RI: n_D^{25} = NA	Soluble in: <small>Code: FS=Freely, SpS=Sparingly, VSI=Very Slightly, I=Insoluble</small>			
Flash Point: 190 C Method: Closed Cup	Melting Point: 50-60 C	<input type="checkbox"/> FS	Alcohol		
		<input type="checkbox"/> FS	Propylene Glycol		
		<input type="checkbox"/> FS	Essential Oils		
Vapor Press: mm Hg, 20°C log K(ow):	Acid Number: ≤ NA	<input type="checkbox"/> I	Water		
CHROMATOGRAPHIC ANALYSIS Purity: ≥ > 96.0%					
GC: 0.53 mm ID x 30 m length, ~ 4.5 ml/min He Carrier Gas. FID DB-X: XXX°C (X min HOLD) to XXX°C at XX°C/min					
REFERENCE NUMBERS		Natural/Nature Identical/Artificial: <input type="checkbox"/>		ODOR/TASTE	
FEMA/GRAS N°: 2787 Co. Europe N°: 590 C.A.S. N°: 2444-46-4 EINECS N°: 219-484-1 TARIFF N°: 2924.29.9500		NATURAL OCCURRENCE		/	
TRANSPORT:					
Hazard: Toxic	REGULATION	HAZ. CLASS	PG	UN N°	
Point 1 4	1 R.T.M.D.				
Not Regulated	2 ADR/RID	6.1	III	2811	
Category / other info:	3 I.A.T.A.	6.1	III	2811	
	4 I.M.D.G.				
SAFETY DATA: Available	TSCA:	PACKING CONTAINERS:			
STORAGE: Under Nitrogen	Temperature: ≤ -18°C <input type="checkbox"/>	<input checked="" type="checkbox"/> Epoxy-coated Steel Drums			
	≤ 5°C <input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Stainless Steel Drums			
	Shelf Life: ~ 24 months	<input type="checkbox"/> Aluminum Bottles			
	RT <input type="checkbox"/>	<input checked="" type="checkbox"/> Glass Bottles			
		<input checked="" type="checkbox"/> Plastic / Plastic-lined drums			

Unless otherwise noted, this data sheet is for your information only and Fontarôme Chemical cannot be held responsible for its contents.